


FSE	Н	300	794	250	T	001
guide column	release system	stroke	min. extended length (EL3)	force	model	Index
	H=hydraulic B=bowden wire L=lever	100 - 500	EL3 = stroke x 2,13 + 155	40N - 700 N	Т	only for repeating orders








	FSR	L	400	1019	250	T	001
1	guide column	release system	stroke	min. extended length (EL3)	force	model	Index
		H=hydraulic B=bowden wire L=lever	300 350 400 450	819 919 1019 1119	40N - 700 N	Т	only for repeating orders








FSO	Н	300	XXX	250	Т	001
guide column	release system	stroke	min. extended length (EL3)	force	model	Index
	H=hydraulic B=bowden wire L=lever	100 - 500	depends on model and release system	40N - 700 N	Т	only for repeating orders







4	FSC	Н	300	XXX	250	T	001
	guide column	release system	stroke	min. extended length (EL3)	force	model	Index
		H=hydraulic B=bowden wire L=lever	100 - 500	depends on model and release system	40N - 700 N	Т	only for repeating orders








BIBUS SK, s.r.o Trnavská 31, SK-94 901 Nitra

Tel.: 037/ 7777 911 Email: sale@bibus.sk Fax.: 037/ 7777 999 http://www.bibus.sk



FSS	Н	300	XXX	250	Т	001
guide column	release system	stroke	min. extended length (EL3)	force	model	Index
	H=hydraulic B=bowden wire L=lever	100 - 500	depends on model and release system	40N - 700 N	Т	only for repeating orders